
Instruction of Quick Operation of UCANDAS V1.0

1. Software Installation

This software does not need any installation procedure, and just copy the files in the CD to the computer. The CD is not with direct running function, but to save its original software version. The software works on WINDOWS XP SP3, WIN7, WIN8.

For easier operation, we can create a shortcut of UCANDAS.EXE in desktop. When running it, double click it. The way to create the shortcut is to right click the UCANDAS.EXE. Please follow the figure 1:



2. VDM Driver Installation

1.1 Find the [VDM DRIVER for Windows] file in the CD, and choose a installing file that matched with your operating system. Please refer to figure 2:

x64 x66 CP210xVCPInstaller_x64.exe cP210xVCPInstaller_x86.exe dpinst.xml ReleaseNotes.txt Slabvcp.cat slabvcp.inf	

FIG 2

2.2 Running the setup, and finish the USB driver installation according to installation tips. Please check figure3,4:




FIG 3



3. Software operation

Running UCANDAS, the main interface is as figure5:



Instructions:



Car diagnose



System settings



3.1 System settings

The first time you use it, please make some system settings. Click the icon of "system settings"



UCANDAS								
	Setting							
*	 General Information System Information System Setting 	C Diagnose	© Demo					
e	- Language - Run Mode							
	_ Unit Selection Link Mode							
	Information							
			*					
Ŕ			Accept					
🕃 🤌	🤌 🔸 📕 WPS 文字 - [UCAN 🛛 🙆 Ucandas	¥ setting1 - 画图	in 🖌 🖄 💥 🖏 🖬 15:07					

FIG 6

Explanation:

Setup mode: Diagnosing mode is an actual test mode, while demo mode is with software demo function, not actual testing cars. Setting units: You can choose inch or metric units as you need

Connecting way: Choose USB when connecting with cable, and under demo mode. Choose WIFI when testing wirelessly.

3.2 Car Diagnosis

Please connect VDM to the OBD diagnostic block of the car. Then the power indicator will light. Start UCANDAS software. Connect the USB to your laptop or wait for the WIFI connection after choosing USB or WIFI connection. The first time you use WIFI, it may takes some time. The fixed SSID of VDM is UCANDAS. If the WIFI failed, please set it manually. When WIFI is connected successfully, the VDM wireless icon will



. Refer to figure 7:

light. After connecting, click" car diagnose" icon

UCANDAS									
	AMERICA	ASIA	AUSTRAL	IA CHII			OBD2	()	
			\bigcirc		Fired	FIAT	A.	LANCIA	LAND- -ROVER
	AUDI	Mercedes-Benz	BMW	CITROEN	EURFORD	FIAT	JAGUAR		LANDROVER
۳		Ð	X			SAAB			0
	MINI		PEUGOET	PORSCHE	RENAULT	SAAB	SEAT	SKODA	SMART
	Ø	VOLVO							
		VOLVO							
	Information								
Ŕ	_							Prev. Pg	Next Pg
- 🏵 🤌	▶ 📕 WPS 文字 - [UCA	N 🛛 🖾 Ucandas		FI	G 7				≖ < ¥ * 6 🗭 14:56
Choose the c	ar models you	need, click its	icon, and then			shows:			
UCANDAS									
100	Mercedes-Benz>>								
	Progress	09/							
		0% the diagnostic program							
Ver10.0 (2012-08)									
	Information								
	1. Year: up to 2012	age of software as belov 5,203,202,201,209,208,		20,140,126,215,240,2	230,129,107,199,171,1	70,164,163,251,463,4	61,X 164,216,204,639,6	538,212,X	




FIG 8

4. Software Update

The updating website: <u>www.ucandas.com</u> is under construction, please notice our website updating information.

5. Warranty

UCANDAS software is free updating within 1 year, from the date of online automatically updating.