

# **ADS1800**

# **User manual**

Dear user,

Thank you for purchasing ADS1800(OBDII Scanner ). This manual (Android version) contains usage and after service, please read it carefully before using.

## CONTENT

I. Software Installation .....	01
II. Software Registration .....	06
III. Testing Instructions .....	10
IV. After Service .....	12

### I. Software Installation

#### 1. Software download

Put software into mobile phone from CD or download software from internet.

1) Put CD into CD-ROM of your pc or laptop, open it and copy file named

“APK” into memory card of mobile phone;

2) Download software from website:

**Steps 1:** Open IE Explorer and visit: <http://english.adsscan.com> (Figure-01)



Figure-01

**Steps 2:** Click the "Upgrade" interface and download the software on your computer.



Figure-02

## 2. Program installation

**Steps 1:** Copy file“APK”into mobile phone memory card and find a program named “My Files”.



Figure-03

**Steps 2:** Open the My Files >>> All Files>>> sdcard0>>> ADS1800 OBDII Scanner Android Software, and find out “ADS1800 OBDII Scanner.apk”;




Figure-04




Figure-05




Figure-06

**Steps 3:** click and it will display the interface as Figure-07, click the “Install” button and start to install (Figure-9).




Figure-07




Figure-08

**Steps 4:** After complete installation, it will display "Application installed" :




Figure-09

**Steps 5:** Then the “ADS1800 OBDII Scanner” software icon will display on the application program interface (Figure-10).



Figure-10

## II. Software Registration

**Steps 1:** Connect the Diagnostic Device to your PC and ensure that the Bluetooth Diagnostic Device power indicator lights. And the green light flash.



Figure-11



Figure-12

**Steps 2:** Open mobile phone, enter Settings:



Figure-13

**Steps 3:** Open the Bluetooth and scan for the device:





Figure-14



Figure-15

**Steps 4:** You will find ADS device and click it to pair with ADS device, the Passwords is 1234 or may be 0000.




Figure-16




Figure-17

**Steps 5:** ADS device has been paired, then you can test directly.




Figure-18

### III. Testing instructions

**Steps 1:** Open your phone's software main interface and enter "ADS1800 OBDII Scanner" software .



Figure-19

**Steps 2:** It will display interface of three titles as:




Figure-20

[ Scan ]: Car diagnostic testing into menu.

[ Manual ]: Equipment software installation and operation instructions.

[ Version ]: Wireless Bluetooth diagnostic instrument hardware and mobile phone testing software version information.

**Steps 3:** Choose SCAN and start to test as Figure :




Figure-21

ADS1800 Package:

1pc x ADS1800 MAIN UNIT

1pc x USB cable

1pc x CD

## **VI. After service**

1. Guarantee period: One year warranty.
2. Web: <http://english.adsscan.com>
3. Phone/Fax: +86-755-89368397
4. E-mail: [sales@adsscan.com](mailto:sales@adsscan.com)